

# Index

- <sup>15</sup>N  
labelling fertilizers, 38  
 $\text{NH}_x$  deposition, 305  
acid deposition, 24  
acid rain, 63  
acidification, 38  
acidifying, 38  
costs, 38  
effects and indicators, 38  
soil, 38  
terrestrial ecosystems, 10, 38  
acidity, 468  
aerosols, 435, 450, secondary, 17  
Agricultural buildings, 179  
Agriculture, 441  
costs and benefits, 533  
Decreasing N<sub>r</sub> losses, 83  
economic, 517  
European Nitrogen Budget, 365, 370  
and greenhouse gases, 25  
intensification, 34  
dairy, 50  
mapping fluxes, 325  
N losses and policy, 74  
N use in, 10, 322  
soils, 500, 502, 503  
system, 320  
agro-ecosystems, N budgets, 318  
agronomic efficiency, 38  
air pollution, 116, 406, 415, 480, 527  
Air Quality Directive, 222  
air scrubbing, 524  
aircraft, 427, 449  
albedo, 451, 452  
algal growth, 22  
alkalinization, 500  
ammonia, 339, 367, 406, 410, 417, 425, 483  
emissions, 2  
industrial uses, 34, 54, 367  
slip, 185  
ammonification, 13, 148  
ammonium, 12, 40, 102, 104, 106, 107, 113, 115, 129, 135, 138, 258, 273, 290, 423, 500, 556, 587  
ammonium nitrate, 17, 35, 54, 451  
ammonium sulphate, 257  
ancillary impacts, 517  
animal manure, 112  
animal protein, 593  
animal welfare, 76, 595  
annamox, 14, 100, 110, 135, 149, 150, 156  
anoxic conditions, 388  
anthropogenic, 384, 435, 514  
reactive N, 11  
modifications of N  
transport, 237  
AOT40, 414, 421  
aquifer, 381, 384  
arctic habitats, 466  
assimilation, 14  
atmospheric deposition, 5, 273, 300, 301, 464  
contribution to streams, 23  
European N budgets, 301, 351, 355  
global scale, 306  
marine, 24  
methane, 444  
modelling, 311, 312  
observations, 299, 306  
variability, 242  
atmospheric transport/  
transfer, 5, 237, 355  
 $\text{NO}_x$ , 19  
Landscape scale, 236  
autotrophy, 128, 274, 359  
aviation, 370, 408  
Baltic Sea  
Action Plan, 397  
atmospheric deposition, 303  
N input, 24  
policy, 63, 396, 529  
Barcelona, 396  
barley, 35, 47  
baseline, 559  
benefits, 33, 514, 517  
Best Available Technology, 66, 71  
bioaccumulation, 389  
biodiversity, 10, 115, 160, 464  
evidence, 470  
impacts and indicators, 87, 481  
legislation, 481  
recovery, 477  
soil, 503, 506, 527  
threats to, 465  
valuation, 519  
bioenergy (see also biofuels), 12, 13, 47, 70  
bio-ethanol, 34  
biofuels (see also bioenergy), 12, 57, 322, 554, 563, 597  
biomass (see also bioenergy, biofuels), 17, 34, 41, 367, 449  
Birds Directive, 243  
black carbon, 452  
Black Sea, 396  
bloom-forming algae, 388, 393  
BNF, 1, 101, 102, 351, 365  
cultivated, 11  
process, 12, 13  
bogs, 475  
boreal habitats, 466  
bryophytes, 466, 467, 470  
Bucharest convention, 396  
budgets, 591  
buffer zone, 163, 234, 398  
buffering, 136, 497  
butterflies, 476  
C:N ratio, 441, 450, 501  
calcareous soils, 468  
calcium ammonium nitrate, 35, 552  
cancer, 385, 521  
canopy, 236, 299  
carbon,  
accumulation, 446  
sequestration, 115, 370, 435, 446, 450, 503  
storage, 450, 452  
carbon–nitrogen interactions, 2  
cardiovascular health, 385  
carnivorous plants, 475  
catalytic converters, 76, 178  
catch crop, 396, 525, 526  
caterpillars, 476  
 $\text{CH}_4$ , 435, 442, 444, 445, 454  
Chemistry Transport Models (CTM), 301  
Emissions input, 311  
Performance vs.  
observations, 307  
chlorophyll, 291  
climate change, 26, 392, 394, 397, 406, 436, 456, 465, 468, 480, 517  
cloud condensation nuclei, 451  
clover, 36  
CLRTAP, 4, 24, 63, 77, 391, 406, 407, 482, 504, 527, 571  
 $\text{CO}_2$ , 504

- coastal regims, 2, 5, 367, 381, 441, 466  
 co-benefits, 517  
 code of good agricultural practice, 215  
 combustion, 258, 259, 260, 264, 357, 406, 546, 556, 586  
 Common Agricultural Policy, 35, 64, 68, 395  
 communication, 596  
 communicative instruments, 64  
 compensation point, 195  
 consumption, 548, 587, 590, 593  
 contamination, 497  
 controlled release, 40  
 Convention on Biological Diversity, 4, 464, 481, 577  
 COPERT, 183  
 CORINAIR, 182  
 corridor, 234  
 corrosion, 415  
 cost, 515, 525  
     effectiveness, 543  
     benefit, 543  
     cost–benefit analysis (CBA), 396, 514, 516, 527  
 Cost-effectiveness analysis (CEA), 514  
 COTAG, 192  
 critical level, 24, 340, 414, 421, 481  
 critical load, 24, 326, 391, 408, 482, 483, 504  
 crops, 356  
     economics, 518  
     fertilizer use, 35  
     harvested product quality, 46  
     major crops in EU, 35  
     mosaic, 235  
 N imports to farm, 236  
 N uptake, 40  
 ozone effects, 421, 450  
 productivity and quality, 40, 41  
 residue, 220  
 rotation, 219  
 soil, 497  
 cross-compliance in EU policy, 69, 244  
 current legislation, 558  
 cyanobacteria, 129, 132, 139, 154, 165  
 dairy farming, 49, 532  
     Economic value, 52  
     Unit benefits, 519  
 ‘dead zones’, 2, 388  
 deep ocean, 356  
 denitrification, 2, 13, 25, 100, 106, 110, 131, 136, 138, 139, 149, 156, 159, 355, 365, 396, 398, 435, 439, 441, 442, 497, 499  
     aerobic, 218, 260, 261, 290  
     autotrophic, 135  
     heterotrophic, 135  
     microbial, 110  
     pyro-, 110  
 deposition velocity, 193  
 diesel, 427  
 diet  
     human, 554, 563  
     livestock, 47  
 di-nitrogen, 1, 2, 337  
 disability-adjusted life years (DALY), 524  
 discounting, 515, 516  
 dissolution, 504  
 dissolved inorganic nitrogen (DIN), 129, 159, 275, 442  
 dissolved organic carbon (DOC), 131, 136  
 dissolved organic nitrogen (DON), 24, 105, 106, 113, 129, 130, 135, 148, 159, 190, 213, 223  
 ditch drainage system, 237, 396  
 DNRA, 108, 149, 150  
 dose–response, 410, 411, 415, 520  
 double mobile, 542  
 downwind gradient, 305  
 DPSIR framework, 65, 543, 545  
 drinking water, 381, 384, 385, 386, 525  
     pollution, 398  
     quality, 386  
     soils, 499, 500  
     sources, 385  
 Drinking Water Directive, 27, 385, 386  
 drivers, 64, 349  
 driving forces (see DPSIR), dry deposition, 299, 302, 310, 312  
 dynamic modelling, 558  
 EC Biodiversity Conservation Strategy (ECBS), 481  
 EC National Emissions Ceiling (NEC)  
     Directive, 18, 66, 243, 391, 395, 407, 483, 527  
 EC4MACS, 560  
 Ecological Surveillance Networks, 470  
 economic impacts, 421  
 economic instruments, 64  
 economic optimal N application rate (EoNR), 42, 43, 45  
     milk, 52  
 economic returns on investment (ERON), 34, 56  
 economic value, dairy farming, 52  
     reactive N, 56  
 ECOSAN, 262  
 ecosystem, aquatic, 380, 386  
     atmospheric deposition, 302  
     biodiversity, 470  
     CO<sub>2</sub> exchange, 446  
     costs and benefits, 532  
     effects, 22  
     health and functioning, 519  
     N budget, 338  
     N processes, 236  
     resilience, 384  
     sensitivity, 465  
     services, 384, 396, 398, 464, 506, 517, 519, 557, 590  
 ecotone, 234  
 EDGAR, 182, 312, 347  
 edge effect, 103  
 effects-based approach, 543  
 egalitarian principle, 529  
 EMEP model, 182, 301, 307, 481  
 emission ceilings (LRTAP Convention), 406  
 emission factors, 26, 437  
 emissions abatement, 75  
 emissions standards, 71  
 empirical modelling, 478  
 energy production (effects on N cycle), 17, 365  
 environmental effects of nitrogen, 10, 87  
 environmental Management, 393  
 environmental policy, 63  
 epiphytes, 103  
 equity, principle of, 529  
 erosion, 497  
 estuary, 157, 289  
 Eulerian models, 300, 306  
 European Fertilizer Manufacturers Association (EFMA), 556  
 Eutrophication, 10, 17, 22, 133, 138, 149, 155, 163, 164, 165, 168, 231, 284, 291, 340, 380, 381, 384, 386, 389, 393, 466, 529, 558  
     aquatic ecosystems, 467  
 Baltic Sea, 519, 520  
 biodiversity, 482  
 costs, 24  
 critical loads, 395  
 effects, 24  
 implementation measures, 392  
 marine ecosystems, 502, 506  
 policy considerations, 391  
 soil, 501, 505  
 terrestrial ecosystems  
     ex-ante assessment, 71  
     exceedances, 340, 482  
     excretion rates, 52  
     exogenous species, 389  
     explosives, 34, 54, 56  
     ex-post assessment, 71  
     exposure, 265  
 farm  
     nitrogen cycle, 213, 226  
     budget, 221  
 farming systems, dairy, 49  
     landscape design and structure, 230, 235  
     management, 233, 237, 244  
     organic, 503  
 feed, livestock, 445, 524, 525

- fens, 466  
fertilizer, 1, 382, 436, 504,  
517, 519, 524, 535  
ammonium nitrate, 54,  
450  
coastal waters, 442  
consumption in Europe,  
17, 35, 338, 392  
crops, 35  
export, 20  
manure, 1, 13, 40, 179,  
212, 218, 339, 350,  
525, 546, 556  
acidification, 500  
application methods,  
40, 41  
incineration, 524  
low-emission storage,  
41  
management, 50  
N<sub>2</sub>O, 439  
N inputs, 36  
soil biodiversity, 503  
SOM, 34  
mineral, 13, 33, 319, 350  
soil, 502  
synthetic, 10, 104, 112,  
179, 217, 556  
field Survey, 471  
fish kills, 22  
flux networks, 312  
foliage  
enrichment, 466  
impacts, 467  
food-print, 250, 260  
food wastage, 595  
footprint, 250, 259, 563, 591  
forbs, 471, 472  
forests, 352, 370, 441, 444,  
448, 466, 470, 501,  
502, 505  
atmospheric deposition  
in, 302, 446  
fossil fuel, 10  
Framework Directive on  
Ambient Air, 408  
freeze-thaw, 109  
freshwater, 127  
GEIA, 182  
GENEMIS, 182  
genetic diversity, 464  
GEO, 579  
geo-engineering, 1, 5  
global environmental change  
programmes, 575  
global warming, 25  
global Warming Potential  
(GWP), 436, 452  
globalization, 10  
Gothenburg Protocol, 4, 18,  
391, 426, 504, 527,  
543  
governmental policies, 63, 64  
grain, 46  
graminoids, 471  
grassland, 35, 466, 471, 472,  
478, 505  
grazing, 500  
greenhouse gases, 3, 17, 435,  
449, 505, 525  
costs and benefits of N,  
532  
emissions and land use  
change, 33  
peatlands, 439  
‘grey energy’, 250  
groundwater, 135, 256, 381  
nitrate concentrations,  
338  
nitrogen losses, 331, 336  
pollution and leaching, 22  
soil, 501  
Groundwater Directive, 68,  
243  
GTAP, 557  
H<sub>2</sub>SO<sub>4</sub>, 451  
Haber–Bosch process, 1, 10,  
54,  
365, 367  
Habitats Directive, 243  
haptophytes, 168  
harmful algal blooms  
(HABs),  
heathland, 446, 466, 475  
heavy metals, 300  
hedgerows, 234, 235, 237  
Helophyte, 525  
Helsinki Commission  
(HELCOM), 4, 63,  
396  
Henry’s law coefficient, 194  
heterotrophy, 128, 157, 250,  
274, 359  
high-temperature  
combustion, 2  
HNO<sub>3</sub>, 311, 415, 450  
HONO, 189, 197, 311  
human health, 2, 26, 63, 89,  
340, 384, 385, 406,  
410, 420, 520, 532  
human welfare, 514  
hydrological regime, 127  
hydrology, 236, 237  
hydrosystem, 277  
hypertrophic streams, 130,  
140  
hypoxia, 155, 161, 389  
ICEP, 284, 291  
IGBP, 580  
IGO, 571, 575  
immobilisation, 497  
impact assessment,  
economic, 514  
impacts (see DPSIR),  
indicators, 89, 338, 339, 340,  
348, 359, 396  
industrial nitrogen fixation,  
3  
Industrial Revolution, 10  
industry, 17, 258, 365, 367  
Infection disease risk, 389  
Inferential models, 300,  
310  
Integrated assessment  
modelling, 545, 552  
cost, 514  
landscape scale, 239  
Integrated Nitrogen Budget  
(iNB), 360  
integration, 3, 4, 87, 542  
INTEGRATOR model, 561,  
565  
intensive animal husbandry,  
532  
intergovernmental  
organizations, 65  
international conventions,  
65  
international treaties, 63  
intervention points, 547  
IPPC, 66, 243, 407  
Lagrangian models, 302  
lakes, 380, 391  
land management, 501  
land use  
Change, 33, 109, 393, 452  
Heterogeneity, 231  
land-use/land-use  
change and forestry  
(LULUCF), 370, 589  
Management, 242, 394  
N<sub>2</sub>O emissions, 439  
productivity, 359  
Soil, 444, 500  
landscape  
assessment tools, 244  
ecology, 230  
description and function,  
233  
mitigation of N effects,  
232, 524  
modelling, 237  
N cascade, 230  
N transfer processes, 235  
pollution transfer paths,  
234  
Large Combustion Plants  
Directive, 184  
lateral flow, 236  
leaching, 14, 22, 332, 337,  
351, 393, 525  
indicators, 340  
modelling, 239  
nitrate, 38  
legislation, 407, 481  
legumes, 36, 102, 180, 212,  
214, 218, 220, 501,  
592  
lichens, 468, 470, 475, 545,  
597  
life cycle analysis, 534  
lignification, 450  
liming, 501, 504, 527  
liquid manures, 40  
livestock production, 13,  
213, 223, 370, 554,  
590, 592  
intensive, 10  
low-protein animal  
feeding, 504  
management, 437  
manure, 396  
N<sub>2</sub>O Emissions, 47  
Low NO<sub>x</sub> combustion  
technology, 18  
macrophytes, 133, 161  
manipulation experiments,  
470  
marginal abatement cost  
curve (MACC), 589  
marine ecosystems, 24, 148  
Marine Pollution  
Convention  
(MARPOL), 408  
Marine Strategy Directive,  
67, 395  
Marine waters, 74  
mass balance, 256  
maximum feasible  
reduction, 558  
Multi Criteria Decision  
Analysis (MCDA),  
544, 545

- MEAs, 571  
 meat production, 10, 14  
 Mediterranean Sea, 304, 333, 396  
 mega-cities, 253  
 meteorology, 311  
 methaemoglobinæmia, 385, 521  
 metropolitan area, 253  
 microsite hypothesis, 107  
 Millennium Ecosystem Assessment, 384, 393, 519, 557, 565  
 mineral fertilizer equivalent (MFE), 40, 42, 52  
 mineralization, 105, 108, 114, 393, 497, 501  
 mitigation, of N at landscape scale, 242  
 modelling, 320  
 biodiversity, 478  
 comparison of budgets, 337  
 greenhouse gases, 239  
 inverse models, 337, 483  
 landscape N, 237  
 $\text{NH}_3$ , 239  
 nitrogen inputs, 327  
 regional landscape, 242  
 models, 299, 346  
 atmospheric, 299  
 DNDC, 320  
 EDGAR, 320  
 EMEP, 320, 347  
 EPIC, 320  
 ForSAFE, 480  
 GAINS, 320, 524, 529, 560, 565  
 GREEN, 320  
 IDEAg, 320, 346  
 IMAGE, 320  
 Initiator 2, 238  
 INTEGRATOR, 320, 347, 561, 565  
 LANAS integrated model, 239  
 MITERRA, 320  
 MOVE, 483  
 Nitroscape, 240  
 SMART2, 483  
 molasses licking blocks, 445  
 Monin–Obukhov length, 193  
 montane habitats, 466  
 Montreal Protocol, 522  
 moths, 476  
 motor Vehicles, 407
- $\text{N}_2$ , 1, 13, 351, 365  
 global fixation, 36  
 industrial uses, 53, 54
- $\text{N}_2\text{O}$ , 25, 365  
 agricultural, 236  
 emissions, 328, 334, 339, 352, 435, 437  
 from fertilizer manufacture, 17  
 indirect emissions, 231  
 wetland emissions, 231
- European N budget, 337  
 exchange, 398  
 global cycle, 332  
 fluxes, 132, 150  
 livestock, 436  
 losses, 111  
 mitigation, 440, 525  
 model estimates, 334  
 sewage treatment, 439  
 soils, 498  
 stratospheric ozone depletion, 522  
 terrestrial, 441  
 trends, 440, 441  
 unit damage costs, 534  
 water quality, 356, 358, 366
- National Emission Ceilings Directive (NECD), 183, 543, 546  
 National Integrated Nitrogen Budgets (NiNB), 360  
 Natura 2000, 244, 482  
 natural sources of reactive N, 11  
 net primary production, 100  
 nitrate, 2, 11, 115, 129, 133, 135, 338, 380, 451, 521  
 drinking water, 385, 525  
 exposure, 385  
 human health, effects on, 26  
 leaching, 38, 112, 114, 116, 133  
 organic manures, 40  
 particulate, 406, 407, 423  
 peroxy acetyl nitrate (PAN), 191, 198  
 pollution of groundwater, 22, 381  
 soils, 500  
 nitrate vulnerable zones, 24, 243, 397  
 Nitrates Directive, 22, 64, 67, 76, 77, 166, 212, 219, 243, 280, 380, 381, 395, 397, 504, 529, 531  
 nitric acid, 133, 186, 440  
 nitric oxide (NO), 406, 414  
 nitrification, 14, 100, 106, 108, 112, 131, 138, 149, 218, 261, 290, 435, 439, 497, 526  
 autotrophic, 106  
 heterotrophic, 107  
 bacterial, 150
- nitrogen, 151, 183, 273  
 balance, 15, 318, 319  
 cascade, 2, 10, 360, 542, 552, 586  
 consequences of, 21  
 European vs. global perspective, 28  
 integrating, 85  
 quantifying, 346  
 rural landscapes, 230  
 budgets, 5, 318, 360, 545  
 global vs. Europe, 19, 21  
 heterogeneity, 230  
 terrestrial EU scale, 318, 322  
 farm N budget, 318, 320, 322  
 land, 319  
 data sets, 320, 346  
 country scale, 323, 334  
 emissions, 356  
 Ocascade cycle, 4, 104, 108, 109, 130  
 human intervention, 1, 12  
 main processes, 13, 14  
 deposition, 2, 100, 102, 110, 114, 115, 159, 339, 498  
 European totals, 20  
 fauna, 476  
 enrichment, 384  
 Fixation, 19, 36  
 crop, 273  
 bacteria, 13  
 biological, 274, 593  
 process, 1  
 Fluxes, 332, 347  
 industrial products, 34  
 inheritance, 1  
 losses, 331  
 management, 542, 571  
 plant uptake, 107  
 removal, 318
- saturation, 24, 114  
 surplus (see also balance), 15, 318, 323, 339, 350, 382, 497, 504  
 throughput, 320  
 use efficiency (nitrogen efficiency), 1, 14, 20, 42, 215, 370, 394, 445, 525, 546  
 agro-ecosystems, 318  
 effect of animal breeding, 49, 50  
 NPK interactions, 34  
 optimization of, 33  
 pigs and poultry diet, 47  
 nitrogen visualization tool, 597  
 nitrogenase, 562  
 nitrous oxide, 2, 337, 450  
 NMVOC, 419  
 N-nitrosodimethylamine (NDMA), 385  
 NO, emissions, 112  
 non-agricultural systems, 333, 498  
 North Sea, 303, 396  
 $\text{NO}_x$ , 2, 3, 10, 17, 407, 414, 417, 426, 449, 450, 528  
 atmospheric deposition, 304  
 emissions, 338, 357, 367, 435  
 European Nitrogen Budget, 524  
 formation, 17–18,  
 Energy, industry and transport, 419  
 human health, effects on, 26  
 ozone precursor, 411  
 particulate Matter, 336, 365  
 policy, 66  
 satellite observations, 311  
 soils, 440, 499  
 atmospheric, 20, 236, 406  
 from combustion, 73  
 European, 19  
 Standards for, 66  
 trends, 332  
 nutrient balances, 30  
 animal production, 50  
 farming systems, 49  
 grassland, 52  
 river basin scale, 396  
 nutrient enrichment, 395

- nutrient loading, 388  
 nutrition, 552  
 nutritional nitrogen, 100  
  
 OH radical, 189  
 oilseed rape, 35, 45, 518, 534  
 oligotrophic streams, 130,  
     165  
 ombrotrophic bog, 446, 466  
 optimal fertilization, 396  
 Organic nitrogen, 11, 133  
     amines, 11  
     proteins, 11  
 Organisation for Economic  
     Cooperation and  
     Development  
     (OECD), 318  
 orographic enhancement,  
     199  
 Oslo and Paris Commission  
     (OSPARCOM), 63,  
     74, 396  
 OSPAR, 4, 169, 581  
 oxidation states of N, 2  
 Oxidized nitrogen, 2, 151,  
     183, 273  
     formation of, 12  
 NO, 11, 301, 334, 427  
 NO<sub>2</sub>, 11, 311, 406, 410,  
     414, 415, 417, 427,  
     467  
     NO<sub>3</sub>, 11, 236, 311, 340  
 oxygen deficiencies, 22  
 ozone, 2, 117, 264, 427  
     biodiversity, 469  
     concentrations, 419  
     destruction of  
         stratospheric ozone,  
     10, 450, 522  
     effects and indicators, 89  
     and human health, 10, 411  
 Plant growth, 454  
 policy, 66  
 Secondary pollutants, 406  
 on vegetation, 414  
 on materials, 415  
 Trends, 415  
 tropospheric, 17, 26, 406,  
     435, 449, 469  
  
 Paris Metropolitan area, 256,  
     267  
 participatory approach, 544  
 particles, 2, 312, 407  
 particulates, 10, 26, 66, 264,  
     406, 407, 411, 415,  
     417, 421, 427  
  
 peanut, 36  
 peatland, 439, 446, 471, 475,  
     503  
 photochemical smog, 406  
 photolysis, 188  
 photosynthesis, 100  
 phytoplankton, 133, 141,  
     150, 152, 154, 167,  
     169, 284  
 pigs  
     diet, 47  
     farming policy, 66  
 plant  
     functional types, 474  
     growth, 449, 452  
     metabolites, 445  
     stress, 468  
 ploughing, 237  
 plume models, 300  
 PM<sub>10</sub>, 407, 408, 415, 421,  
     422, 428  
 PM<sub>2.5</sub>, 407, 421, 423, 428  
 Po Valley, 357, 359, 382, 425  
 policy  
     assessment of, 70, 514  
     biodiversity, 66, 483  
     bio-energy, 70  
     compliance, 64, 76  
     cost-benefit analysis, 514  
     instruments, 64  
     landscape scale, 233, 243  
     N measures in EU, 57,  
     65, 66  
     side effects, 516  
     targets, 71  
     water quality, 69, 395, 524  
 pollution swapping, 2, 398  
 poultry  
     diet, 47  
     farming policy, 66  
 pressure, 349  
 primary production, 132,  
     152, 156, 159, 161  
 PRIMES, 561  
 Privately Optimal Nitrogen  
     Rates (PONR), 517,  
     519, 534  
 process-based modelling,  
     478  
 protein consumption, 15, 18  
 public health, 593  
 pyrites, 499  
  
 radiation balance, 452  
 radiative forcing (RF), 436,  
     449, 450, 452, 454  
 rainout, 199  
  
 reactive nitrogen  
     aquatic systems, 435  
     availability and crop  
         productivity, 358  
     CH<sub>4</sub> exchange, 33  
     consumption, 360, 442  
     emissions to hydrosphere,  
     356  
     industrial uses of, 53, 56  
     policy, 63  
     sources, 11, 63  
     temporal changes in, 89  
 recovery, of species  
     composition, 477  
 reduced nitrogen, 557, 586  
     deposition, 20, 231  
     emission, 236, 328, 337,  
     338, 435, 524  
     European budget, 356,  
     365, 366, 635  
     Modelling, 305  
     NH<sub>3</sub>, 11, 13, 112, 301, 311,  
     324, 450, 467  
     NH<sub>4</sub><sup>+</sup>, 11, 467, 478  
     sources, 12, 232  
     vegetation effects, 414  
 regulatory instruments, 64,  
     71  
 Representative  
     Concentration  
     Pathways (RCPs), 10,  
     435, 564, 566  
 reservoirs, 384  
 residence time, 128, 161, 164,  
     165, 273, 284, 384  
 resistance, 193  
 respiratory disorder, 410  
 response curves, 41  
 responses (see DPSIR),  
 re-surveys, 470, 473  
 retention, 276, 283, 289  
 rice paddies, 444  
 river nitrogen export, 25  
 rivers, 380, 441  
 road transport, 264  
 Rubisco, 41  
 ruminants, 52, 435, 442, 445  
 runoff, 14, 239, 337, 340, 392  
 rural development policy, 69  
  
 salinisation, 497  
 salinity, 148  
 satellite, 311  
 scale effects, 22  
 scenario, 552  
     driver oriented, 552  
     effect oriented, 552, 557  
  
 SCOPE, 580  
 seas, 380  
     European, 303  
     N budget, 34  
     N export, 380  
 secondary organic aerosol  
     particles (SOA),  
     406  
 security, 33  
 sedimentation ponds, 396  
 sediments, 372  
 segmented strategy, 587  
 selective catalytic redactors  
     (SCR)/ selective non-  
         catalytic redactors  
         (SNCR), 18, 524  
 sensitive species, 474  
 set-aside, 239  
 sewage systems, 359, 439  
 sheep, 475  
 ship traffic, 304, 370, 408  
 shrubland, 466, 471  
 silicate, 468  
 slow-release fertilisers, 40  
 slurry, 40, 524  
 SO<sub>2</sub>, 301, 451  
 social costs, 514  
 socially optimal nitrogen  
     rates (SONR), 517,  
     534  
 societal visualisation of  
     threats, 56,  
     91  
 societal values, 10, 89,  
     586  
 soil  
     acidification, 468, 497,  
     499, 527  
     biodiversity, 502  
     clay, 531  
     compaction, 496, 498  
     emissions, 312, 435, 437  
     nitrogen budget, 101, 192,  
     193  
     N<sub>r</sub> stocks, 358  
     pollution and leaching, 22  
     quality, 527  
     respiration, 446  
     sandy, 531  
     upland, 442  
 soil mineral N (SMN), 42  
 soil nutrient supply, 50  
 soil organic matter (SOM),  
     34, 40, 105, 106, 116,  
     217, 446, 497, 501,  
     502, 504, 505  
 SO<sub>x</sub> deposition, 468

- soybean, 36  
 spatial nutrient management, 396  
 species richness, 464  
 stabilised fertilisers, 40  
 stemflow, 103  
 stratification, 148  
 stream order, 128  
 Streamlining European 2010 Biodiversity Indicators (SEBI2010), 481  
 subarctic habitats, 466  
 sulphuric acid, 451  
 sum of means over 35 ppb (SOMO35), 411, 427  
 surface water, 331, 337, 338, 380  
 synergies, 3  
 system boundaries, 318  
 systems analysis, 544, 545
- Task Force on Reactive Nitrogen, 4  
 TEP, 154  
 terrestrial ecosystems, 24  
 tertiary treatment, 260, 289  
 TFHTAP, 580  
 Thematic Air Pollution Strategy EU (TSAP), 406, 527
- thematic policy for soil protection, 496  
 throughfall, 103, 114  
 TIN, 133  
 total ammoniacal N (TAN), 178  
 trade, 557  
 transport production, 17, 367  
 tree belt, 242  
 tropical habitats, 337  
 tundra, 466
- UK National Emissions Inventory, 312  
 UNECE, 4, 524  
 UNFCCC–IPCC, 4, 320, 337, 455  
 unit crop benefits (euro) per kg of N (UBoN), 518, 519
- United Nations Conference on the Environment, 63  
 urban, 395, 397, 406, 427  
 density, 255  
 landscape, 250  
 nitrogen budget, 258  
 systems, 250
- Urban Wastewater Treatment Directive, 24, 67, 74, 243, 395, 525
- urbanisation, 250, 554  
 urea, 35, 54, 367, 524  
 urease inhibitors, 40  
 urine, 40
- value of a life year (VOLY), 520  
 value of statistical life (VSL), 520  
 vegetation, 406, 408, 413, 421, 464  
 vertical flow, 236  
 virtual land use, 34  
 VOC, 427  
 volatilization, 14, 40, 435  
 fertiliser use, 38  
 terrestrial, 40  
 urease inhibitors, 441  
 urea use, 35
- washout, 199  
 Waste Incineration Directive, 407, 440  
 wastewater, 138, 254, 257, 259, 260, 267, 288, 371, 395, 546  
 discharge, 23, 396  
 policy, 74  
 water pollution, 2  
 quality, 386, 392
- Water Framework Directive (WFD), 66, 165, 243, 280, 390, 395, 397, 497, 544, 546  
 watershed, 5, 24, 272, 394  
 weathering of N from rocks, 14  
 wet deposition, 198, 299, 303, 308  
 wetlands, 136, 237, 242, 396, 398, 442, 444, 448, 466, 525  
 wheat, 33, 35  
 biofuel, 34  
 EONR, 45  
 protein content, 46  
 economics, 518  
 wildfire, 110  
 willingness to pay (WTP), 515, 520, 534  
 woodland, 237  
 World Health Organisation (WHO), 385
- years of life lost (YOLL), 408, 517  
 yield, 389  
 crop, 41  
 grassland, 52  
 ozone, 421  
 response curves, 519